EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	1	matrix with quasi with zero and LDPC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:27

Interference Search
3/21/07
SWR

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	ldpc with check with matrix with unit with quasi with shift with sum with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:01
L2	0	(ldpc and (check with matrix with unit with quasi with shift with sum with zero))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:01
L3	0	(ldpc and check and (matrix with unit with quasi with shift with sum with zero))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:02
L4	0	(ldpc and (matrix with unit with quasi with shift with sum with zero))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:02
L5	0	matrix with unit with quasi with shift with sum with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:03
L6	0	matrix with unit with quasi with sum with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:03
L7	0	matrix with quasi with sum with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:03
L8	967	matrix with quasi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:04

L9	35	matrix with quasi with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:27
L10	0	matrix with quasi with zero with unit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:04
L11	1	l9 and ldpc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:10
L12	441	ldpc with check with matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:10
L13	124	ldpc with check with matrix with zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:11
L14	0	ldpc with check with matrix with zero with quasi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:11
L15	18	ldpc with check with matrix with zero and quasi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:50
L16	2	"6633856".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 14:51
L17	28	("3542756" | "3665396" | "4295218" | "5396518" | "6473010").PN. OR ("6633856").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/21 14:52

L18	1	matrix with quasi with zero and LDPC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 15:27

Google

ldpc check with matrix with zero with quasi	Search	Advanced Search
		Preferences

Web

Results **11 - 20** of about **12,000** for **ldpc** <u>check</u> with <u>matrix</u> with <u>zero</u> with <u>quasi</u>. (0.07 seconds)

[DOC] <u>NASA Goddard Space Flight Center Greenbelt, Maryland 20771 Goddard ...</u>
File Format: Microsoft Word - <u>View as HTML</u>
An example of a **quasi**-cyclic parity **check matrix** is shown in Figure 3. ... The parity **check**
matrix for the baselined (8176, 7156) **LDPC** code is formed by ...
standards.gsfc.nasa.gov/reviews/gsfc-std-9100/gsfc-std-9100.doc - Similar pages

<u>CAT.INIST.FR</u>
Since the parity-**check matrix** of a QC-**LDPC** code consists of circulant permutation
matrices or the **zero matrix**, the required memory for storing it can be ...
cat.inist.fr/?aModele=afficheN&cpsidt=16992457 - <u>Similar pages</u>

[PDF] <u>VARIABLE-RATE LOW-DENSITY PARITY **CHECK** CODES FOR DVB-S2 APPLICATIONS</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
check matrix of an **LDPC** code. Then choose parameter s ... As the smaller -matrices are
identity **matrix** or **zero** row. inserted identity **matrix** and its cyclic ...
www.iee.org/Events/DVB_Honorary.pdf - Similar pages

[PDF] <u>Algebraic Constructions of Nonbinary **Quasi**-Cyclic **LDPC** Codes ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
tions of nonbinary **quasi**-cyclic (QC) **LDPC** codes based on arrays ... null space over GF(q)
of a sparse parity-**check matrix** H over ...
ita.ucsd.edu/workshop/07/files/paper/paper_151.pdf - <u>Similar pages</u>

[PDF] <u>Encoders for Block-Circulant **LDPC** Codes</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
of the block-circulant structure of the parity **check matrix**. ... [3] R. M. Tanner, "On Graph
Constructions for **LDPC** Codes by **Quasi**- ...
www.systems.caltech.edu/~jeremy/research/papers/circulant_encoders.pdf - Similar pages

[PDF] <u>AGGREGATED CIRCULANT **MATRIX** BASED **LDPC** CODES Yuming Zhu, Chaitali ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
pendencies is to reorder the block rows of the parity **check matrix** ... Architecture for
Quasi-Cyclic **LDPC** Codes," in IEEE Int. ...
enws155.eas.asu.edu:8001/confpapers/ldpc.pdf - <u>Similar pages</u>

[PDF] <u>Low Density Parity **Check** Convolutional Codes Derived from **Quasi** ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
can be represented by a semi-infinite low density parity **check matrix** that retains the ...
Several **quasi**-cyclic **LDPC** block codes and their corresponding ...
www.nd.edu/~eecoding/papers/blk_fest.pdf - Similar pages

[PDF] <u>Space-Time **LDPC** with Layered Structure for MIMO Systems</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
to develop a **quasi**-block diagonal **LDPC** space-time structure. The lower triangular
structure of. the parity **check matrix** introduces correlation between ...
www.merl.com/reports/docs/TR2004-119.pdf - <u>Similar pages</u>

[PDF] <u>A Construction for Irregular Low Density Parity **Check** ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
ity **check matrix** H(D). j×k. of the **LDPC** convolutional code is ... tional codes based on
quasi-cyclic block codes," in Proceedings. of ISIT, p. ...
www.math.unizh.ch/fileadmin/user/sridhara/publikation/isit_03.pdf - Similar pages

[PS] <u>Quasi-cyclic **LDPC** codes from dierence families</u>

File Format: Adobe PostScript - <u>View as Text</u>
system are precisely all the non-**zero** elements of ... for **LDPC** codes, max. its. = 50. weight
of the parity **check matrix** will be constant for ...
sigpromu.org/reports/EE05055.ps - Similar pages

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 1011   **Next**

| ldpc check with matrix with zero with   Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

Google

ldpc check with matrix with zero with quasi   ·   Search   Advanced Search
Preferences

Web   Results **1 - 10** of about **12,000** for ldpc <u>check</u> with <u>matrix</u> with <u>zero</u> with <u>quasi</u>. (0.34 seconds)

Scholarly articles for **ldpc check with matrix with zero with quasi**
A construction for low density parity <u>check</u> ... - Sridharan - Cited by 14
Efficient Encoding of <u>Quasi-Cyclic Low-Density</u> ... - Li - Cited by 6
On Regular <u>Quasi-Cyclic LDPC</u> Codes from Binomials - Smarandache - Cited by 5

[PDF] <u>On regular quasi-cyclic LDPC codes from binomials - Information ...</u>
File Format: PDF/Adobe Acrobat
matrix H(X) with all entries either binomials, monomials, or. **zero**. Subsequently, we will
mainly focus on type-I and type-. II QC **LDPC** given by parity-**check** ...
ieeexplore.ieee.org/iel5/9423/29909/01365314.pdf?arnumber=1365314 - Similar pages

[PDF] <u>Spectral graphs for quasi-cyclic LDPC codes - Information Theory ...</u>
File Format: PDF/Adobe Acrobat
ated parity-**check matrix** poses implementation challenges and ... gate algebraic
constructions for **LDPC** codes that are **quasi**-. cyclic, with parity-**check** ...
ieeexplore.ieee.org/iel5/7447/20241/00936089.pdf - Similar pages
[More results from ieeexplore.ieee.org]

[PDF] <u>On Regular **Quasi**-Cyclic **LDPC** Codes from Binomials</u>
File Format: PDF/Adobe Acrobat - View as HTML
We say that a **quasi**-cyclic code is of type-I if. it is given by a polynomial parity-**check**
matrix H(X). with all entries either monomials or **zero**. We say ...
www-rohan.sdsu.edu/~rsmarand/html/ISIT-long-2004.pdf - Similar pages

[PDF] <u>High-Rate **Quasi**-Cyclic **LDPC** Codes for Magnetic Recording Channel ...</u>
File Format: PDF/Adobe Acrobat - View as HTML
demonstrated that **quasi**-cyclic (QC) **LDPC** codes are one. family of such implementation-
oriented **LDPC** codes. The. parity **check matrix** of a QC-**LDPC** consists of ...
www.ecse.rpi.edu/homepages/tzhang/RVSAL/pub/LDPCISCAS06.pdf - Similar pages

[PDF] <u>Construction of **Quasi**-Cyclic **LDPC** Codes Based on the Primitive ...</u>
File Format: PDF/Adobe Acrobat - View as HTML
LDPC code is said to be irregular if its parity-**check matrix** H ... **zero** matrices, no odd
number of columns can be added to. a **zero** column. ...
www288.pair.com/ciss/ciss/numbered/217.pdf - Similar pages

[PDF] <u>A Construction for Low Density Parity **Check** Convolutional Codes ...</u>
File Format: PDF/Adobe Acrobat - View as HTML
These **LDPC** codes are **quasi**-cyclic and hence admit. a convolutional representation,
obtained ... the block code's polynomial-form parity **check matrix** as the ...
www.nd.edu/~eecoding/papers/pap_summ_new.pdf - Similar pages

[PDF] <u>Constructions of Nonbinary **Quasi**-Cyclic **LDPC** Codes: A Finite Field ...</u>
File Format: PDF/Adobe Acrobat - View as HTML
to construct binary **quasi**-cyclic (QC)-**LDPC** codes that perform ... by the null space over GF
(q) of a sparse parity-**check matrix** ...
ita.ucsd.edu/workshop/06/talks/papers/94.pdf - Similar pages

[PDF] <u>Quantum **Quasi**-Cyclic **LDPC** Codes</u>
File Format: PDF/Adobe Acrobat - View as HTML
of linear codes is realized to be **quasi**-cyclic **LDPC**. **Quasi**- ... of a parity-**check matrix** is a
zero-matrix, generalizing the. difference − by defining ...
arxiv.org/pdf/quant-ph/0701020 - Similar pages

[DOC] <u>NASA Goddard Space Flight Center Greenbelt, Maryland 20771 Goddard ...</u>
File Format: Microsoft Word - <u>View as HTML</u>
An example of a **quasi**-cyclic parity **check matrix** is shown in Figure 3. ... The parity **check**
matrix for the baselined (8176, 7156) **LDPC** code is formed by ...
standards.gsfc.nasa.gov/reviews/gsfc-std-9100/gsfc-std-9100.doc - Similar pages

<u>CAT.INIST.FR</u>
Since the parity-**check matrix** of a QC-**LDPC** code consists of circulant permutation
matrices or the **zero matrix**, the required memory for storing it can be ...
cat.inist.fr/?aModele=afficheN&cpsidt=16992457 - Similar pages

Result Page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **Next**

Download <u>Google Pack</u>: free essential software for your PC

| ldpc check with matrix with zero with   Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2007 Google